

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	"9108629"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 14:40
S2	2	database with user \$1define\$1 with call adj rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 14:53
S3	0	database with user \$1define\$1 with call adj rout\$3 with network\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 15:33
S4	2306	user\$define\$1 with network\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 15:34
S5	4	user\$define\$1 with network\$1 with destination adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 15:34
S6	0	database with (user \$define\$1 user adj select\$4) with voice adj network\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 15:36
S7	1	database with (user \$define\$1 user adj select\$4) with circuit with packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 15:37

S8	2434	database with (user \$define\$1 user adj select\$4) with network \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 15:37
S9	65	database with (user \$define\$1 user adj select\$4) with network \$1 with address\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 15:38
S10	1	select\$3 with circuit with packet with user \$defined	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 15:42
S11	4	database with user \$1define\$1 with network\$1 with call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 15:43
S12	176	database with user \$1define\$1 with network\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 15:45
S13	81	database with user \$1define\$1 with rout \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 15:59
S14	3768	silver.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 16:05
S15	24	silver.inv. and user \$defin\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 16:05

S16	73	user\$1define\$1 with call with rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 16:07
S17	81	database with user \$1define\$1 with rout \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 16:11
S18	333	database with (user \$1define\$1 user adj select\$4)with rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 16:12
S19	337	"5726984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 16:17
S20	193	"5796727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 16:22
S21	0	"20055956673"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 16:23
S22	9616	weaver.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 16:24
S23	59	database with (user \$1define\$1 user adj select\$4)with call with rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 16:27

S24	556	(user\$1define\$1 user adj select\$4)with call with rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/11 16:30
S25	10	(user\$1define\$1 user adj select\$4)with (rout \$3 forward\$3)with circuit with packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/19 17:53
S26	0	database with (user \$1define\$1 user adj select\$4)with (rout\$3 forward\$3)with circuit with packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/19 18:54
S27	1	database same (user \$1define\$1 user adj select\$4)with (rout\$3 forward\$3)same circuit same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/19 18:54
S28	190	database same (user \$1define\$1 user adj select\$4)with (rout\$3 forward\$3)and circuit and packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/19 18:56
S29	3	database with circuit with packet with call adj rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/28 10:37
S30	2	user adj defin\$2 with call adj rout\$3 with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/28 10:42
S31	12	user adj defin\$2 same call adj rout\$3 same database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/28 10:43

S32	1	user adj defin\$2 same network with call adj rout\$3 same database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/28 10:44
S33	2	database with user adj defin\$2 with call adj rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/28 10:45
S34	0	database same user adj defin\$2 with packet with circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/28 10:46
S35	10	database same user adj defin\$2 same packet same circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/28 10:46
S36	0	database with packet adj switch\$3 with circuit adj switch with user adj define\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/28 10:50

1/ 28/ 2011 2:39:24 PM

C:\ Documents and Settings\ manwar\ My Documents\ EAST\ Workspaces\ 10701865.wsp